

To: Sundar, Bhooma[sundar.bhooma@epa.gov]
Cc: Neal, Conor[Neal.Conor@epa.gov]; Kamke, Sherry[Kamke.Sherry@epa.gov]
From: Egan, Robert
Sent: Thur 8/31/2017 12:14:00 PM
Subject: RE: question about SOW for AS/SVE

Thank you, Bhooma. This is a good example to get me better acquainted with the process.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Sundar, Bhooma
Sent: Wednesday, August 30, 2017 4:26 PM
To: Egan, Robert <egan.robert@epa.gov>
Cc: Neal, Conor <Neal.Conor@epa.gov>; Kamke, Sherry <Kamke.Sherry@epa.gov>
Subject: Re: question about SOW for AS/SVE

Hi Bob,

After reading Mike's email, I recognize the time sensitive nature of this project. I browsed through the web for a latest pilot workplan and I came up with this. The attached document would be a good start for you to put together a work order.

Bhooma

From: Sundar, Bhooma

Sent: Wednesday, August 30, 2017 2:51:25 PM
To: Egan, Robert
Subject: Re: question about SOW for AS/SVE

Sure, No problem.

From: Egan, Robert
Sent: Wednesday, August 30, 2017 2:47:21 PM
To: Sundar, Bhooma
Subject: RE: question about SOW for AS/SVE

Thank you, Bhooma.

I will be working at home tomorrow. If you have a CD, can you e-mail the document to me?

If not, please place the report on my chair.

Thank you!

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Sundar, Bhooma
Sent: Wednesday, August 30, 2017 2:42 PM
To: Egan, Robert <egan.robert@epa.gov>; Neal, Conor <Neal.Conor@epa.gov>
Cc: Kamke, Sherry <Kamke.Sherry@epa.gov>
Subject: Re: question about SOW for AS/SVE

Bob,

I am working from home today and don't seem to have an electronic copy of AS/SVE work plan. I will bring the CD or the hardcopy with me when we meet tomorrow.

Bhooma

From: Egan, Robert
Sent: Wednesday, August 30, 2017 1:38:13 PM
To: Neal, Conor; Sundar, Bhooma
Cc: Kamke, Sherry
Subject: question about SOW for AS/SVE

Bhooma and Conor,

Thank you for offering to assist with the Tower Standard LUST site. I look forward to giving you some background site information.

As a first question, do either of you have a Statement of Work/Task Order/Work Plan for an Air Sparge/Soil Vapor Extraction Pilot Scale Test at a site? Mike Harris wants us to move quickly to get a contractor on board to do this work at the site. I have access to a SF contractor but need an example SOW to draw information from for writing up my task order.

And secondly, are either of you a WAM or COR? I am a COR but we are looking for a backup if one is needed.

Thank you for your help.

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)